

# **RUNX2 Recombinant antibody**

Species reactivity: Human Mouse Rat

Cat: B18001R Company: HaoKebio

Uniprot ID:Q13950 Applications: IHC:1:200-1:1000

Organism: Rabbit IHC-Polymer: 1:800-1:4000

IHC-TSA:1:1000-1:5000

IF:1:50

## Background:

RUNX2, also named as AML3, CBFA1, OSF2 a nd PEBP2A, is a Transcription factor which invo lved in osteoblastic differentiation and skeletal m orphogenesis. It is essential for the maturation of osteoblasts and both intramembranous and endo chondral ossification. CBF binds to the core site, 5'-PYGPYGGT-3', of a number of enhancers and promoters, including murine leukemia virus, pol yomavirus enhancer, T-cell receptor enhancers, o steocalcin, osteopontin, bone sialoprotein, alpha 1(I) collagen, LCK, IL-3 and GM-CSF promoters By similarity. RUNX2 inhibits MYST4-depende nt transcriptional activation. The antibody is specific to RUNX2.

#### Protein full name:

runt-related transcription factor 2

## Synonyms:

AML3, AML-3, CBF-alpha-1, Core-binding fact or subunit alpha-1, OSF 2

## Immunogen:

Recombinant protein

# **Isotype:**

IgG

## Subcellular location:

Nucleus

#### **Purity:**

Affinity purification

#### Form:

Liquid

## Storage Buffer:

PBS with 0.02%sodium azide,100  $\mu$ g/ml BSA and 50% glycerol.


## Storage:

Store at -20 °C for one year.

## Experimental procedure:

Antigen retrieval: Citrate buffer (pH 9.0) , Medium high heat for 8 minutes, stop for 7 minutes, medium high heat for 8 minutes. Incubate antibody,  $4\,^{\circ}\mathrm{C}$  overnight. Secondary antibody: P oly-HRP Goat Anti-Rabbit & Mouse Universal Secondary Antibody, RT, 1h.

## Images:



Sample: Mouse knee, 4% PFA 12-24h

## Source of Reagents:

发表[中文论文]请标注:RUNX2(B18001R)由杭州浩克生物技术有限公司提供;

发表[英文论文]请标注:RUNX2(B18001R) were kindly provided by Hangzhou Haoke Biotechnology Co., Ltd.



For research use only. Not for use in diagnostic procedures.